

# EAST SEARCH 09/25/2007 TLM

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	361	712/34.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	241	712/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L5	0	L4 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
4	BRS	L8	1244	pipeline bus clock\$2 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
5	BRS	L9	1220	L8 memory	US-PGPUB; USPAT; USOCR; IBM_TDB
6	BRS	L11.	0	L10 asic	US-PGPUB; USPAT; USOCR; IBM_TDB
7	BRS	L12	11	L3 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
8	BRS	L13	11	L12 bus	US-PGPUB; USPAT; USOCR; IBM_TDB
9	BRS	L15	693	L9 asic	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
10	BRS	L16	0	L10 hardwired	US-PGPUB; USPAT; USOCR; IBM_TDB
11	BRS	L17	321	L15 clocks	US-PGPUB; USPAT; USOCR; IBM_TDB
12	BRS	L18	960	L9 ((speed adj up) or fast\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB
13	BRS	L20	145	L17 hardwir\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
14	BRS	L21	25	L20 router	US-PGPUB; USPAT; USOCR; IBM_TDB
15	BRS	L23	78	L20 (configuration adj data)	US-PGPUB; USPAT; USOCR; IBM_TDB
16	BRS	L24	59	L23 message\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
17	BRS	L25	54	L24 ((accept\$2 or reject\$2) near3 message\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
18	BRS	L26	54	L24 ((accept or reject) near3 message\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
19	BRS	L27	0	(hard-wire\$2 near3 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
20	BRS	L30	0	(hardwire\$2 near5 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
21	BRS	L32	0	(hardwire\$2 near3 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
22	BRS	L34	1244	pipeline bus clock\$2 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
23	BRS	L35	1220	L34 memory	US-PGPUB; USPAT; USOCR; IBM_TDB
24	BRS	L36	693	L35 asic	US-PGPUB; USPAT; USOCR; IBM_TDB
25	BRS	L37	321	L36 clocks	US-PGPUB; USPAT; USOCR; IBM_TDB
26	BRS	L38	145	L37 hardwir\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
27	BRS	L39	78	L38 (configuration adj data)	US-PGPUB; USPAT; USOCR; IBM_TDB
28	BRS	L40	960	L35 ((speed adj up) or fast\$4)	US-PGPUB; USPAT; USOCR; IBM_TDB
29	BRS	L42	0	L41 hardwired	US-PGPUB; USPAT; USOCR; IBM_TDB
30	BRS	L43	0	(hardwire\$2 near3 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
31	BRS	L49	11	L44 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
32	BRS	L50	11	L49 bus	US-PGPUB; USPAT; USOCR; IBM_TDB
33	BRS	L53	59	L39 message\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
34	BRS	L54	54	L53 ((accept\$2 or reject\$2) near3 message\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
35	BRS	L55	0	(hardwire\$2 near5 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
36	BRS	L56	0	(hard-wire\$2 near3 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
37	BRS	L57	54	L53 ((accept or reject) near3 message\$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
38	BRS	L58	25	L38 router	US-PGPUB; USPAT; USOCR; IBM_TDB
39	BRS	L62	0	L41 asic	US-PGPUB; USPAT; USOCR; IBM_TDB
40	BRS	L64	0	L48 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
41	BRS	L65	0	asynchron\$5 adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
42	BRS	L66	30	synchron\$5 adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
43	BRS	L67	0	asynchron\$5 adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
44	BRS	L68	30	synchron\$5 adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
45	BRS	L69	0	asynchron\$5 adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
46	BRS	L72	0	unsynchronize near2 pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
47	BRS	L74	0	unsynchronized near2 pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
48	BRS	L75	300	unsynchronized near2 clock	US-PGPUB; USPAT; USOCR; IBM_TDB
49	BRS	L76	158	unsynchronized adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
50	BRS	L78	100	(unsynchronized adj clock) and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
51	BRS	L80	472	pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
52	BRS	L81	0	unsynchronized adjpipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
53	BRS	L82	0	asynchron\$5 adj adjpipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
54	BRS	L83	0	asynchroniz\$3 adj adjpipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
55	BRS	L84	0	unsynchronized adj pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
56	BRS	L4	1	pipeline (communication adj bus) clocks unsynchroniz\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
57	BRS	L6	1	pipeline bus clocks unsynchroniz\$4 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB
58	BRS	L31	1	"6023742".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
59	BRS	L33	1	"6282627".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
60	BRS	L47	1	"6023742".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
61	BRS	L48	1	pipeline (communication adj bus) clocks unsynchroniz\$4	US-PGPUB; USPAT; USOCR; IBM_TDB
62	BRS	L52	1	"6282627".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
63	BRS	L59	1	pipeline bus clocks unsynchroniz\$4 FPGA	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
64	BRS	L3	19	(pipeline adj accelerator)	US-PGPUB; USPAT; USOCR; IBM_TDB
65	BRS	L7	2	L3 bus clocks	US-PGPUB; USPAT; USOCR; IBM_TDB
66	BRS	L10	6	L9 unsynchron\$6	US-PGPUB; USPAT; USOCR; IBM_TDB
67	BRS	L14	11	L13 clock\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
68	BRS	L19	30	L9 (pipeline near3 ((speed adj up) or fast\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB
69	BRS	L22	25	L20 router\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
70	BRS	L28	2	(hard-wire\$2 near5 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
71	BRS	L29	54	L25 buses	US-PGPUB; USPAT; USOCR; IBM_TDB
72	BRS	L41	6	L35 unsynchron\$6	US-PGPUB; USPAT; USOCR; IBM_TDB
73	BRS	L44	19	(pipeline adj accelerator)	US-PGPUB; USPAT; USOCR; IBM_TDB
74	BRS	L45	2	L44 bus clocks	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
75	BRS	L46	2	(hard-wire\$2 near5 FGPA)	US-PGPUB; USPAT; USOCR; IBM_TDB
76	BRS	L51	11	L50 clock\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
77	BRS	L60	54	L54 buses	US-PGPUB; USPAT; USOCR; IBM_TDB
78	BRS	L61	30	L35 (pipeline near3 ((speed adj up) or fast\$4))	US-PGPUB; USPAT; USOCR; IBM_TDB
79	BRS	L63	25	L38 router\$2	US-PGPUB; USPAT; USOCR; IBM_TDB
80	BRS	L70	30	different near2 pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
81	BRS	L71	2	synchronize near2 pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
82	BRS	L73	4	asynchron\$5 near2 pipeline adj clock	US-PGPUB; USPAT; USOCR; IBM_TDB
83	BRS	L77	14	(unsynchronized adj clock) and pipeline	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
84	BRS	L79	21	(unsynchronized adj clock) same processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
85	BRS	L85	2016	(SCHULZ.in. and KENNETH.in.) or (RAPP.in. and JOHN.in.) or(JACKSON.in. and LARRY.in.) or (JONES.in. and MARK.in.) or (CHERASARO.in. and TRO.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB